



ITW

AMENDMENT TRANSMITTAL LETTER

Docket No.
SON-2937

Application No.
10/784,185-Conf. #1116

Filing Date
February 24, 2004

Examiner
Not Yet Assigned

Art Unit
2631

Applicant(s): Kouji Matsuura

Invention: CLOCK EXTRACTING CIRCUIT AND CLOCK EXTRACTING METHOD

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	7	- 20 =		x	
Independent Claims	2	- 3 =		x	
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

☒ Large Entity

☐ Small Entity

☒ No additional fee is required for this amendment.

☐ Please charge Deposit Account No. _____ in the amount of \$ _____.
A duplicate copy of this sheet is enclosed.

☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.

☐ Payment by credit card. Form PTO-2038 is attached.

☒ The Director is hereby authorized to charge and credit Deposit Account No. 18-0013
as described below. A duplicate copy of this sheet is enclosed.

☒ Credit any overpayment.

☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

Ronald P. Kenanen
Attorney Reg. No.: 24,104

RADER, FISHMAN & GRAUER PLLC
1233 20th Street, N.W.
Suite 501
Washington, DC 20036
(202) 955-3750

Dated: November 2, 2004



Docket No.: SON-2937
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Kouji MATSUURA

Application No.: 10/784,185

Art Unit: 2631

Filed: February 24, 2004

Examiner: Not Yet Assigned

For: CLOCK EXTRACTING CIRCUIT AND
CLOCK EXTRACTING METHOD

FIRST PRELIMINARY AMENDMENT

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Prior to examination on the merits, please amend the above-identified U.S. patent application as follows: